

CHECKLIST OF SELECTED FAUNA  
AT KADOORIE FARM & BOTANIC GARDEN - 2020  
2020 年嘉道理農場暨植物園野生動物名錄



June 2020

Kadoorie Farm & Botanic Garden  
Publication Series No.15



2020 年嘉道理農場暨植物園野生動物名錄

Checklist of Selected Fauna at Kadoorie Farm & Botanic Garden - 2020

Editors

Dr. Gary W.J. Ades

Wong Yu Ki

Paul Crow

Liz Rose-Jeffreys

Li Man Yi, Bel

Leong Kwok Yi

Fok Wing Lam

Contents

Introduction .....	3
Checklist Legends .....	5
Checklist of Mammals .....	6
Checklist of Birds .....	7
Checklist of Amphibians .....	12
Checklist of Reptiles .....	13
Checklist of Fish .....	15
Checklist of Freshwater Crustaceans .....	15
Checklist of Butterflies .....	16
Checklist of Rove Beetles .....	20
Checklist of Ants .....	24
Checklist of Spiders .....	26

Second Edition: June 2020

First Edition: April 2005

Produced by  
Fauna Conservation Department  
Kadoorie Farm & Botanic Garden Corporation

Cover Photographs clockwise from top left:  
Blue Whistling Thrush; Hong Kong Cascade Frog;  
Northern Red Muntjac; Red Mountain Racer (photo credit: Toni Ngai)

## Introduction

The present publication is a revision of the first edition of the checklist published in 2005. The current checklist covers 10 animal taxon groups and lists species recorded from the Kadoorie Farm & Botanic Garden (KFBG) private nature reserve at Tai Po in the Hong Kong SAR China. There have been additions to the records of species previously recorded in the 2005 publication including further species that are considered rare in Hong Kong. The new edition also contains several taxonomic updates and corrections. The checklist of ants, spiders and freshwater crustaceans are new additions. Meanwhile, we have removed the long list of 1,180 species of moths from the Checklist and provided a separate moth appendix. The moths require a systematic review since the taxonomy of many species is being updated and we will work with local experts to try and keep abreast of future changes.

At the time of revision, the checklist for Fauna species recorded at KFBG included **27 Mammals, 182 Birds, 18 Amphibians, 44 Reptiles, 4 Fish, 3 Freshwater Crustaceans, 174 Butterflies, 162 Rove Beetles, 77 Ants and 21 Spiders**. In future editions we will strive to include further groups particularly among the insects and will encourage local researchers and experts to assist with the inclusion of further species that are resident and protected within the Private Nature Reserve and protected areas at KFBG. All species have been recorded from long-term and short-term tenancy land registered and delineated with KFBG and managed under the conditions set out in the KFBG Ordinance (1995).

For reference and comparison, IUCN Redlist categories and AFCD assessment status is included in tabulated records for certain groups along with KFBG sighting frequency. The legends and abbreviations can be found on the relevant page.

The present publication is intended to be a resource for the public and researchers. Names and taxonomy are frequently being updated for many Fauna groups and we apologise for any errors that may occur due to changes in taxonomy. The Fauna Checklist will be reviewed and updated as frequently as possible and new records for the KFBG Nature Reserve added.

Dr. Gary W.J. Ades  
Department Head,  
Fauna Conservation Department

## Acknowledgments

We want to thank John Allcock for sharing his bird sighting records, John Fellowes and Roger Lee for the new checklist of ants, AFCD staff for adding new bat species and last but not least, all staff, volunteers and visitors who contributed animal sightings that have been incorporated in the checklist.

*The legends for the tables are provided below and each table provides the location zone on the hillside where sightings were recorded (Lower, Mid, Upper). Avian fly-overs (particularly for birds of prey) were generally recorded as occurring in the Upper Zone and in some cases the birds may not have occupied habitats on the hillside, however they may have been hunting above the hillside and forest. The map shown on Page 27 indicates where the location zone boundaries are situated.*

## 前言

本名錄是二零零五年嘉道理農場暨植物園動物分類單元名錄初版的修訂版。此名錄收錄了在中國香港特別行政區大埔區嘉道理農場暨植物園私人自然保護區內曾出現的動物物種，共可分為十個分類單元。是次修訂新增了原有分類單元的物種，其中更有部分為本港罕見物種。而且新修訂版亦於分類上有所更新與修正，並加插了蟻、蜘蛛及淡水甲殼類名錄。同時，本編移除紀錄著一千一百八十種飛蛾的長篇名錄，並獨立提供一份飛蛾附錄。由於許多飛蛾的分類有所更新，需要有系統的檢閱，我們將與本地專家合作更新日後有所更改的飛蛾分類。

是次修訂，共記錄了於本園內發現的二十七種哺乳類、一百八十二種鳥類、十八種兩棲類、四十四種爬行類、四種魚類、三種淡水甲殼類、一百七十四種蝴蝶、一百六十二種隱翅蟲、七十七種蟻和二十一種蜘蛛。在未來的版本，我們將致力收編更多分類單元於名錄上，尤其是昆蟲類，並且鼓勵本地研究人員及專家協助記錄居住於本園私人自然保護區及受保護區域的物種。所有物種皆記錄於本園長期用地或經註冊與劃定的短期租賃地，並受本園條例細則規管。

為作參考與比較，本名錄的部分物種除了列出園內的記錄狀況，還列出了世界自然保護聯盟 (IUCN) 瀕危物種紅色名錄的級別及漁農自然護理署內部評估狀況。相關的圖例與縮寫可參考下頁。

本名錄期望為公眾與研究人員提供參考資源。然而，由於許多動物名稱與分類單元更新速度頻密，若未能及時更新相關資訊，還望見諒。我們將盡可能定期檢閱、更新及加插嘉道理農場暨植物園自然保護區內新紀錄物種於名錄中。

艾加里博士

動物保育部主管

特別鳴謝

感謝柯祖毅先生分享其園內觀鳥紀錄、費樂思先生和李灝先生協助新增園內蟻名錄、漁農自然護理署人員協助新增添加蝙蝠物種；最後感謝所有提供動物記錄資訊並合併於此名錄中的本園員工、義工及遊客。

下列為名錄的圖示說明，名錄提供了園內山區野生動物紀錄點(下、中、上)。飛行動物(特別猛禽類)大多記錄於上山區，部分有機會並非棲息於本園保護區內，但見於本園山坡及樹林覓食。名錄第二十七頁地圖標示著本園各山區界限，供大家參考。

## Checklist Legends

	IUCN Red List Status <sup>1</sup> .	世界自然保護聯盟 瀕危物種紅色名錄 <sup>1</sup>
CR	Critically Endangered	極危
EN	Endangered	瀕危
VU	Vulnerable	易危
NT	Near Threatened	近危
LC	Least Concern	無危
DD	Data Deficient	數據缺乏
NE	Not Evaluated	未予評估

	AFCD Conservation Assessment Status <sup>2</sup>	漁農自然護理署 內部評估
VR	Very Rare	非常罕見
R	Rare	罕見
UC	Uncommon	不常見
C	Common	常見
VC	Very Common	非常常見
NE	Not Evaluated	未予評估

	Number of Sightings Recorded in KFBG	園內紀錄
☆	Rarely Recorded	罕有紀錄
☆☆	Occasionally Recorded	偶爾紀錄
☆☆☆	Commonly Recorded	常有紀錄

<sup>1</sup> IUCN 2020. The IUCN Red List of Threatened Species. Version 2019-3. Accessed on 3 February 2020. <http://www.iucnredlist.org>

<sup>2</sup> AFCD. *Hong Kong Biodiversity Database*. Accessed on 4 December 2019. <https://www.afcd.gov.hk/English/conservation/hkbiodiversity/database/search.php>

## Checklist of Mammals

27 Species

哺乳類名錄

Common name	中文名	Genus & species Author(s)	LC	NE	★★★	KFBG distribution		
						lower	mid	upper
Non-flying Terrestrial Mammals								
Brown Rat	褐家鼠	<i>Rattus norvegicus</i> (Berkenhout, 1769)	LC	NE	★★★	■	■	□
Chestnut Spiny Rat	針毛鼠	<i>Niviventer fulvescens</i> (Gray, 1847)	LC	VC	★★★	□	■	■
East Asian Porcupine	豪豬	<i>Hystrix brachyura</i> Linnaeus, 1758	LC	VC	★★★	■	■	■
Grey Shrew	灰麝鼩	<i>Crocidura attenuate</i> Milne-Edwards, 1872	LC	UC	★★★	■	■	□
House Mouse	小家鼠	<i>Mus musculus</i> Linnaeus, 1758	LC	NE	★	■	■	□
Indochinese Forest Rat	印支林鼠	<i>Rattus andamanensis</i> (Blyth, 1860)	LC	VC	★★★	■	■	■
Leopard Cat	豹貓	<i>Prionailurus bengalensis</i> (Kerr, 1792)	LC	UC	★★★	■	■	■
Masked Palm Civet	果子狸	<i>Paguma larvata</i> (C. E. H. Smith, 1827)	LC	C	★★★	■	■	■
Musk Shrew	臭鼩	<i>Suncus murinus</i> (Linnaeus, 1766)	LC	C	★★	■	■	□
Northern Red Muntjac	赤麂	<i>Muntiacus vaginalis</i> (Boddaert, 1785)	LC	VC	★★★	■	■	■
Pallas's Squirrel	赤腹松鼠	<i>Callosciurus erythraeus styani</i> (Thomas, 1894)	LC	C	★★★	■	■	□
Rhesus Macaque	獼猴	<i>Macaca mulatta</i> (Zimmermann, 1780)	LC	C	★★★	■	■	■
Small Asian Mongoose	紅頰獾	<i>Herpestes javanicus</i> (É. Geoffroy Saint-Hilaire, 1818)	LC	UC	★	■	■	■
Small Indian Civet	小靈貓	<i>Viverricula indica</i> (É. Geoffroy Saint-Hilaire, 1803)	LC	VC	★★	■	■	■
Small-toothed Ferret Badger	鼬獾	<i>Melogale moschata</i> (Gray, 1831)	LC	C	★★	□	■	■
Wild Boar	野豬	<i>Sus scrofa</i> Linnaeus, 1758	LC	VC	★★★	■	■	■
Yellow-bellied Weasel	黃腹鼬	<i>Mustela kathiah</i> Hodgson, 1835	LC	R	★	■	□	■
Bats								
Chinese Horseshoe Bat	中華菊頭蝠	<i>Rhinolophus sinicus</i> K. Andersen, 1905	LC	VC	★★	■	■	□
Chinese Myotis	中華鼠耳蝠	<i>Myotis chinensis</i> (Tomes, 1857)	LC	UC	★	■	□	□
Chinese Noctule	中華山蝠	<i>Nyctalus plancyi</i> (Gerbe, 1880)	LC	C	★★	■	■	■
Himalayan Leaf-nosed Bat	大蹄蝠	<i>Hipposideros armiger</i> (Hodgson, 1835)	LC	VC	★★★	■	■	■
Japanese Pipistrelle	東亞家蝠	<i>Pipistrellus abramus</i> (Temminck, 1838)	LC	VC	★★★	■	■	■
Lesser Bamboo Bat	扁顛蝠	<i>Tylonycteris pachypus</i> (Temminck, 1840)	LC	VC	★★	■	■	□
Pomona Leaf-nosed Bat	小蹄蝠	<i>Hipposideros pomona</i> K. Andersen, 1918	LC	VC	★	□	■	■
Rickett's Big-footed Myotis	大足鼠耳蝠	<i>Myotis pilosus</i> (Peters, 1869)	VU	C	★	■	□	□
Short-nosed Fruit Bat	短吻果蝠	<i>Cynopterus sphinx</i> (Vahl, 1797)	LC	VC	★★★	■	■	□
Whiskered Myotis	喜山鼠耳蝠	<i>Myotis muricola</i> (Gray, 1846)	LC	R	★	■	□	■

## Checklist of Birds

182 Species

鳥類名錄

Common name	中文名	Genus & species Author(s)	 	KFBG distribution			
				lower	mid	upper	
Amur Falcon	阿穆爾隼	<i>Falco amurensis</i> Radde, 1863	LC	★	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Amur Paradise Flycatcher	綬帶	<i>Terpsiphone incei</i> (Gould, 1852)	LC	★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Arctic Warbler	極北柳鶯	<i>Phylloscopus borealis</i> (J. H. Blasius, 1858)	LC	★★★	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ashy Drongo	灰卷尾	<i>Dicrurus leucophaeus</i> Vieillot, 1817	LC	★★	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Asian Barred Owlet	斑頭鸛鵒	<i>Glacidium cuculoides</i> (Vigors, 1831)	LC	★★	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Asian Brown Flycatcher	北灰鶇	<i>Muscicapa dauurica</i> Pallas, 1811	LC	★★	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Asian House Martin	煙腹毛腳燕	<i>Delichon dasypus</i> (Bonaparte, 1850)	LC	★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Asian Koel	噪鶇	<i>Eudynamis scolopaceus</i> (Linnaeus, 1758)	LC	★★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Asian Stubtail	鱗頭樹鶯	<i>Urosphena squameiceps</i> (Swinhoe, 1863)	LC	★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Barn Swallow	家燕	<i>Hirundo rustica</i> Linnaeus, 1758	LC	★★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Besra	松雀鷹	<i>Accipiter virgatus</i> (Temminck, 1822)	LC	★★	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Black Baza	黑冠鵟隼	<i>Aviceda leuphotes</i> (Dumont, 1820)	LC	★	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Black-browed Reed Warbler	黑眉葦鶯	<i>Acrocephalus bistrigiceps</i> Swinhoe, 1860	LC	★	?	?	?
Black Bulbul	黑短腳鶇	<i>Hypsipetes leucocephalus</i> (Gmelin, 1789)	LC	★	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Black-capped Kingfisher	藍翡翠	<i>Halcyon pileate</i> (Boddaert, 1783)	LC	★	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Black-collared Starling	黑領椋鳥	<i>Gracupica nigricollis</i> (Paykull, 1807)	LC	★	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Black-faced Bunting	灰頭鵪	<i>Emberiza spodocephala</i> Pallas, 1776	LC	★★★	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Black Kite	黑鳶(麻鷹)	<i>Milvus migrans</i> (Boddaert, 1783)	LC	★★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Black-naped Monarch	黑枕王鶇	<i>Hypothymis azurea</i> (Boddaert, 1783)	LC	★	?	?	?
Black-throated Laughing Thrush	黑喉噪鶇	<i>Pterorhinus chinensis</i> (Scopoli, 1786)	LC	★★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Black-winged Cuckooshrike	暗灰鶇鶇	<i>Lalage melaschistos</i> (Hodgson, 1836)	LC	★	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Black-winged Kite	黑翅鳶	<i>Elanus caeruleus</i> (Desfontaines, 1789)	LC	★	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Blue-and-white Flycatcher	白腹姬鶇	<i>Cyanoptila cyanomelana</i> (Temminck, 1829)	LC	★★	?	?	?
Blue Rock Thrush	藍磯鶇	<i>Monticola solitarius</i> (Linnaeus, 1758)	LC	★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blue Whistling Thrush	紫嘯鶇	<i>Myophonus caeruleus</i> (Scopoli, 1786)	LC	★★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Blue-winged Minla	藍翅希鶇	<i>Actinodura cyanouroptera</i> (Hodgson, 1837)	LC	★★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Bonelli's Eagle	白腹隼鵟	<i>Aquila fasciata</i> Vieillot, 1822	LC	★	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Brown Fish Owl	褐漁鴞	<i>Ketupa zeylonensis</i> (J. F. Gmelin, 1788)	LC	★	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brown-flanked Bush Warbler	強腳樹鶯	<i>Horornis fortipes</i> Hodgson, 1845	LC	★	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Brown Shrike	紅尾伯勞	<i>Lanius cristatus</i> Linnaeus, 1758	LC	★	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brown Wood Owl	褐林鴞	<i>Strix leptogrammica</i> Temminck, 1832	LC	★	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Chestnut-bellied Rock thrush	栗胸磯鶇	<i>Monticola rufiventris</i> (Jardine & Selby, 1833)	LC	★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Chestnut Bulbul	栗背短腳鶇	<i>Hemixos castanonotus</i> (Swinhoe, 1870)	LC	★★★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Chestnut Bunting	栗鶇	<i>Emberiza rutila</i> Pallas, 1776	LC	★★	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Chestnut-Flanked White-eye	紅肋繡眼鳥	<i>Zosterops erythropleurus</i> Swinhoe, 1863	LC	★	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

## Checklist of Selected Fauna - Kadoorie Farm &amp; Botanic Garden 2020

Chestnut-winged Cuckoo	紅翅鳳頭鵙	<i>Clamator coromandus</i> (Linnaeus, 1766)	LC	☆☆	■	■	■
Chinese Blackbird	烏鶇	<i>Turdus mandarinus</i> Bonaparte 1850	LC	☆☆	■	□	■
Chinese Bulbul	白頭鶇	<i>Pycnonotus sinensis</i> (Gmelin, 1789)	LC	☆☆☆	■	■	■
Chinese Francolin	鷓鴣	<i>Francolinus pintadeanus</i> (Scopoli, 1786)	LC	☆☆	□	□	■
Chinese Grosbeak	黑尾蜡嘴雀	<i>Eophona migratoria</i> Hartert, 1903	LC	☆☆	■	□	□
Chinese Hwamei	畫眉	<i>Garrulax canorus</i> (Linnaeus, 1758)	LC	☆☆☆	□	■	■
Chinese Leaf Warbler	雲南柳鶇	<i>Phylloscopus yunnanensis</i> La Touche, 1922	LC	☆	?	?	?
Chinese Pond Heron	池鶇	<i>Ardeola bacchus</i> (Bonaparte, 1855)	LC	☆☆	■	□	□
Chinese Sparrowhawk	赤腹鷹	<i>Accipiter soloensis</i> (Horsfield, 1821)	LC	☆	□	□	■
Cinereous Tit	蒼背山雀	<i>Parus cinereus</i> Vieillot, 1818	LC	☆☆☆	■	■	■
Collared Crow	白頸鴉	<i>Corvus torquatus</i> Lesson, 1831	VU	☆	■	■	■
Collared Scops Owl	領角鴞	<i>Otus lettia</i> (Hodgson, 1836)	LC	☆☆☆	■	■	□
Common Emerald Dove	綠背金鳩	<i>Chalcophaps indica</i> (Linnaeus, 1758)	LC	☆☆	□	■	□
Common Kestrel	紅隼	<i>Falco tinnunculus</i> Linnaeus, 1758	LC	☆☆	□	□	■
Common Kingfisher	普通翠鳥	<i>Alcedo atthis</i> (Linnaeus, 1758)	LC	☆☆	■	□	□
Common Rosefinch	普通朱雀	<i>Carpodacus erythrinus</i> (Pallas, 1770)	LC	☆	□	□	■
Common Tailorbird	長尾縫葉鶇	<i>Orthotomus sutorius</i> (Pennant, 1769)	LC	☆☆☆	■	■	■
Crested Goshawk	鳳頭鷹	<i>Accipiter trivirgatus</i> (Temminck, 1824)	LC	☆☆☆	□	■	■
Crested Honey Buzzard	鳳頭蜂鷹	<i>Pernis ptilorhynchus</i> (Temminck, 1821)	LC	☆	□	□	■
Crested Myna	八哥	<i>Acridotheres cristatellus</i> (Linnaeus, 1758)	LC	☆☆	■	□	□
Crested Serpent Eagle	蛇鵟	<i>Spilornis cheela</i> (Latham, 1790)	LC	☆☆☆	□	■	■
Dark-sided Flycatcher	烏鶇	<i>Muscicapa sibirica</i> Gmelin, 1789	LC	☆	□	■	□
Daurian Redstart	北紅尾鶇	<i>Phoenicurus aureoreus</i> (Pallas, 1776)	LC	☆☆☆	■	■	■
Dusky Thrush	斑鶇	<i>Turdus eunomus</i> Temminck, 1831	LC	☆	□	■	□
Dusky Warbler	褐柳鶇	<i>Phylloscopus fuscatus</i> (Blyth, 1842)	LC	☆☆☆	■	■	□
Eastern Buzzard	普通鵟	<i>Buteo japonicus</i> (Temminck & Schlegel, 1845)	LC	☆☆	■	□	■
Eastern Crowned Warbler	冕柳鶇	<i>Phylloscopus coronatus</i> (Temminck & Schlegel, 1847)	LC	☆☆	?	?	?
Eastern Yellow Wagtail	東黃鶇	<i>Motacilla tschutschensis</i> Gmelin, 1789	LC	☆	■	■	□
Eurasian Hobby	燕隼	<i>Falco Subbuteo</i> Linnaeus, 1758	LC	☆	□	□	■
Eurasian Sparrowhawk	雀鷹	<i>Accipiter nisus</i> (Linnaeus, 1758)	LC	☆	□	□	■
Eurasian Tree Sparrow	樹麻雀	<i>Passer montanus</i> (Linnaeus, 1758)	LC	☆☆☆	■	■	□
Eurasian Woodcock	丘鶇	<i>Scolopax rusticola</i> Linnaeus, 1758	LC	☆	□	■	■
Eyebrowed Thrush	白眉鶇	<i>Turdus obscurus</i> Gmelin, 1789	LC	☆☆	□	■	□
Ferruginous Flycatcher	棕尾褐鶇	<i>Muscicapa ferruginea</i> (Hodgson, 1845)	LC	☆	?	?	?
Fire-breasted Flowerpecker	紅胸啄花鳥	<i>Dicaeum ignipectus</i> (Blyth, 1843)	LC	☆☆	■	■	■
Fire-capped Tit	火冠雀	<i>Cephalopyrus flammiceps</i> (Burton, 1836)	LC	☆	□	■	□
Forest Wagtail	山鶇	<i>Dendronanthus indicus</i> (Gmelin, 1789)	LC	☆	?	?	?
Fork-tailed Sunbird	叉尾太陽鳥	<i>Aethopyga christinae</i> Swinhoe, 1869	LC	☆☆☆	■	■	■

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

Golden-headed Cisticola	金頭扇尾鶯	<i>Cisticola exilis</i> (Vigors & Horsfield, 1827)	LC	★	□	□	■
Great Barbet	大擬啄木鳥	<i>Psilopogon virens</i> (Boddaert, 1783)	LC	★★★	■	■	■
Greater Coucal	褐翅鴉鵂	<i>Centropus sinensis</i> (Stephens, 1815)	LC	★★	□	■	■
Greater Necklaced Laughingthrush	黑領噪鵂	<i>Pterorhinus pectoralis</i> (Gould, 1836)	LC	★★★	□	■	■
Greenish Warbler	暗綠柳鶯	<i>Phylloscopus trochiloides</i> (Sundevall, 1837)	LC	★	?	?	?
Grey-backed Thrush	灰背鶇	<i>Turdus hortulorum</i> P. L. Sclater, 1863	LC	★★★	□	□	■
Grey-chinned Minivet	灰喉山椒鳥	<i>Pericrocotus solaris</i> Blyth, 1846	LC	★★	■	■	■
Grey-faced Buzzard	灰臉鵟鷹	<i>Butastur indicus</i> (Gmelin, 1788)	LC	★	□	■	■
Grey-headed Canary-flycatcher	方尾鶇	<i>Culicicapa ceylonensis</i> (Swainson, 1820)	LC	★★	□	■	□
Grey Treepie	灰樹鶇	<i>Dendrocitta formosae</i> Swinhoe, 1863	LC	★★	□	□	■
Grey Wagtail	灰鶇鶇	<i>Motacilla cinerea</i> Tunstall, 1771	LC	★★★	■	■	■
Hainan Blue Flycatcher	海南藍仙鶇	<i>Cyornis hainanus</i> (Ogilvie-Grant, 1900)	LC	★★	□	■	■
Hair-crested Drongo	髮冠卷尾	<i>Dicrurus hottentottus</i> (Linnaeus, 1766)	LC	★★	□	□	■
Hartert's Leaf Warbler	古氏[冠紋]柳鶯	<i>Phylloscopus goodsoni</i> Hartert, 1910	LC	★★	□	■	□
Hodgson's Hawk-Cuckoo	霍氏鷹鵂	<i>Hierococcyx nicolor</i> (Blyth, 1843)	LC	★★★	□	□	■
House Swift	小白腰雨燕	<i>Apus nipalensis</i> (Hodgson, 1837)	LC	★★★	□	■	■
Imperial Eagle	白肩鵟	<i>Aquila heliaca</i> Savigny, 1809	VU	★	□	□	■
Indian Cuckoo	四聲杜鵑	<i>Cuculus micropterus</i> Gould, 1838	LC	★★	□	■	□
Indochinese Yuhina	栗耳鳳鵂	<i>Yuhina torquæola</i> (Swinhoe, 1870)	LC	★★	■	■	□
Japanese Bush Warbler	日本樹鶯	<i>Horornis diphone</i> (Kittlitz, 1830)	LC	★★	?	?	?
Japanese Grosbeak	黑頭蠟嘴雀	<i>Eophona personata</i> (Temminck & Schlegel, 1848)	LC	★★★	■	□	□
Japanese Paradise Flycatcher	紫綬帶	<i>Terpsiphone atrocaudata</i> (Eyton, 1839)	NT	★	■	■	■
Japanese Robin	日本歌鶇	<i>Larvivora akahige</i> (Temminck, 1835)	LC	★	□	■	■
Japanese Sparrowhawk	日本松雀鷹	<i>Accipiter gularis</i> G. R. Gray, 1870	LC	★	□	■	■
Japanese Thrush	烏灰鶇	<i>Turdus cardis</i> Temminck, 1831	LC	★★	■	■	□
Lanceolated Warbler	矛斑蝗鶯	<i>Locustella lanceolata</i> (Temminck, 1840)	LC	★	?	?	?
Large-billed Crow	大嘴烏鴉	<i>Corvus macrorhynchos</i> Wagler, 1827	LC	★★	■	■	■
Large Hawk-Cuckoo	大鷹鵂	<i>Hierococcyx sparverioides</i> (Vigors, 1832)	LC	★★★	□	□	■
Lesser Coucal	小鴉鵂	<i>Centropus bengalensis</i> (Gmelin, 1788)	LC	★★	□	■	■
Lesser Cuckoo	小杜鵑	<i>Cuculus poliocephalus</i> Latham, 1790	LC	★	?	?	?
Little Bunting	小鶇	<i>Emberiza pusilla</i> Pallas, 1776	LC	★★	□	■	□
Little Egret	小白鷺	<i>Egretta garzetta</i> (Linnaeus, 1766)	LC	★★	■	□	□
Long-tailed Shrike	棕背伯勞	<i>Lanius schach</i> Linnaeus, 1758	LC	★★	■	■	■
Malayan Night Heron	黑冠虎斑鶇	<i>Gorsachius melanolophus</i> (Raffles, 1822)	LC	★	■	□	□
Masked Laughingthrush	黑臉噪鵂	<i>Pterorhinus perspicillatus</i> (Gmelin, 1789)	LC	★★	■	■	□
Mountain Bulbul	綠翅短腳鶇	<i>Ixos mcclllandii</i> (Horsfield, 1840)	LC	★	□	■	□
Mountain Tailorbird	金頭縫葉鶯	<i>Phyllergates cucullatus</i> (Temminck, 1836)	LC	★	■	■	□
Mrs. Gould's Sunbird	藍喉太陽鳥	<i>Aethopyga gouldiae</i> (Vigors, 1831)	LC	★	■	□	□

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

Mugimaki Flycatcher	鷓鴣	<i>Ficedula mugimaki</i> (Temminck, 1836)	LC	★	?	?	?
Narcissus Flycatcher	黃眉鷓	<i>Ficedula narcissina</i> (Temminck, 1836)	LC	★	?	?	?
Northern Boobook	鷹鴞	<i>Ninox japonica</i> (Temminck & Schlegel, 1845)	LC	★	□	■	□
Northern Goshawk	蒼鷹	<i>Accipiter gentilis</i> (Linnaeus, 1758)	LC	★	□	■	□
Olive-backed Pipit	樹鷓	<i>Anthus hodgsoni</i> Richmond, 1907	LC	★★★	■	■	■
Orange-bellied Leafbird	橙腹葉鶯	<i>Chloropsis hardwickii</i> Jardine & Selby, 1830	LC	★★★	□	■	■
Oriental Dollarbird	三寶鳥	<i>Eurystomus orientalis</i> (Linnaeus, 1766)	LC	★★	□	■	■
Oriental Magpie	喜鵲	<i>Pica serica</i> Gould, 1845	LC	★★	■	□	□
Oriental Magpie Robin	鵲鴝	<i>Copsychus saularis</i> (Linnaeus, 1758)	LC	★★★	■	■	□
Oriental Scops Owl	紅角鴞	<i>Otus sunia</i> (Hodgson, 1836)	LC	★	□	□	■
Oriental Turtle Dove	山斑鳩	<i>Streptopelia orientalis</i> (Latham, 1790)	LC	★★	□	■	■
Pacific Swift	白腰雨燕	<i>Apus pacificus</i> (Latham, 1802)	LC	★★★	□	□	■
Pale-legged Leaf Warbler	淡腳柳鶯	<i>Phylloscopus tenellipes</i> Swinhoe, 1860	LC	★★	□	□	■
Pale Thrush	白腹鶇	<i>Turdus pallidus</i> Gmelin, 1789	LC	★★	□	■	■
Pallas's Grasshopper Warbler	小蝗鶯	<i>Helopsaltes certhiola</i> (Pallas, 1811)	LC	★	□	□	■
Pallas's Leaf Warbler	黃腰柳鶯	<i>Phylloscopus proregulus</i> (Pallas, 1811)	LC	★★★	■	■	■
Peregrine Falcon	遊隼	<i>Falco peregrinus</i> Tunstall, 1771	LC	★★	□	■	■
Plaintive Cuckoo	八聲杜鵑	<i>Cacomantis merulinus</i> (Scopoli, 1786)	LC	★★★	■	□	□
Pygmy Wren-babbler	小鷓鴣	<i>Pnoepyga pusilla</i> Hodgson, 1845	LC	★	■	■	■
Radde's Warbler	巨嘴柳鶯	<i>Phylloscopus schwarzi</i> (Radde, 1863)	LC	★	?	?	?
Red-billed Blue Magpie	紅嘴藍鵲	<i>Urocissa erythroryncha</i> (Boddaert, 1783)	LC	★★	□	■	■
Red-billed Leiothrix	紅嘴相思鳥	<i>Leiothrix lutea</i> (Scopoli, 1786)	LC	★★	□	■	■
Red-flanked Bluetail	紅肋藍尾鷓	<i>Tarsiger cyanurus</i> (Pallas, 1773)	LC	★★★	■	■	■
Red-rumped Swallow	金腰燕	<i>Cecropis daurica</i> (Laxmann, 1769)	LC	★	■	■	■
Red-throated Flycatcher	紅喉鷓鴣	<i>Ficedula albicilla</i> (Pallas, 1811)	LC	★★	□	■	□
Red Turtle Dove	火斑鳩	<i>Streptopelia tranquebarica</i> (Hermann, 1804)	LC	★	■	■	■
Red-whiskered Bulbul	紅耳鶇	<i>Pycnonotus jocosus</i> (Linnaeus, 1758)	LC	★★★	■	■	■
Richard's Pipit	理氏鷓	<i>Anthus richardi</i> Vieillot, 1818	LC	★	□	□	■
Rufous-capped Babbler	紅頭穗鵲	<i>Stachyridopsis ruficeps</i> (Blyth, 1847)	LC	★★★	■	■	■
Rufous-tailed Robin	紅尾歌鷓	<i>Larvivora sibilans</i> Swinhoe, 1863	LC	★★	□	■	□
Russet Bush Warbler	高山短翅鶯	<i>Locustella mandelli</i> (W. E. Brooks, 1875)	LC	★★	□	□	■
Sakhalin Leaf Warbler	庫頁島柳鶯	<i>Phylloscopus borealoides</i> Portenko, 1950	LC	★	□	□	■
Sand Martin	崖沙燕	<i>Riparia riparia</i> (Linnaeus, 1758)	LC	★	■	■	■
Savanna Nightjar	林夜鷹	<i>Caprimulgus affinis</i> Horsfield, 1821	LC	★★	□	□	■
Scaly-breasted Munia	斑文鳥	<i>Lonchura punctulata</i> (Linnaeus, 1758)	LC	★★★	■	■	□
Scarlet Minivet	赤紅山椒鳥	<i>Pericrocotus speciosus</i> (Latham, 1790)	LC	★★★	■	■	■
Scarlet-backed Flowerpecker	朱背啄花鳥	<i>Dicaeum cruentatum</i> (Linnaeus, 1758)	LC	★★	■	■	■
Siberian Blue Robin	藍歌鷓	<i>Larvivora cyane</i> (Pallas, 1776)	LC	★★	□	■	■

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

<b>Siberian Rubythroat</b>	紅喉歌鶇	<i>Calliope calliope</i> (Pallas, 1776)	LC	★	□	□	■
<b>Siberian Thrush</b>	白眉地鸝	<i>Geokichla sibirica</i> (Pallas, 1776)	LC	★	□	□	■
<b>Silver-backed Needletail</b>	灰喉針尾雨燕	<i>Hirundapus cochinchinensis</i> (Oustalet, 1878)	LC	★★	□	□	■
<b>Silver-eared Mesia</b>	銀耳相思鳥	<i>Leiothrix argentauris</i> (Hodgson, 1837)	LC	★★★	■	■	■
<b>Slaty-Legged Crake</b>	白喉班秧雞	<i>Rallina eurizonoides</i> (Lafresnaye, 1845)	LC	★	■	■	■
<b>Sooty-headed Bulbul</b>	白喉紅臀鶇	<i>Pycnonotus aurigaster</i> (Vieillot, 1818)	LC	★★	□	□	■
<b>Spotted Dove</b>	珠頸斑鳩	<i>Spilopelia chinensis</i> (Scopoli, 1786)	LC	★★★	■	■	□
<b>Stejneger's Stonechat</b>	黑喉石鶇	<i>Saxicola stejnegeri</i> (Parrot, 1908)	LC	★	■	■	□
<b>Streak-breasted Scimitar Babbler</b>	棕頸鈎嘴鶇	<i>Pomatorhinus ruficollis</i> Hodgson, 1836	LC	★	■	■	■
<b>Striated Heron</b>	綠鷺	<i>Butorides striata</i> (Linnaeus, 1758)	LC	★★	■	■	■
<b>Swinhoe's White-eye</b>	暗綠繡眼鳥	<i>Zosterops simplex</i> Temminck & Schlegel, 1845	LC	★★★	■	■	■
<b>Thick-billed Green Pigeon</b>	厚嘴綠鳩	<i>Treron curvirostra</i> (Gmelin, 1789)	LC	★	□	■	□
<b>Thick-billed Warbler</b>	厚嘴蘆鶯	<i>Arundinax aedon</i> (Pallas, 1776)	LC	★	?	?	?
<b>Tristram's Bunting</b>	白眉鶇	<i>Emberiza tristrami</i> Swinhoe, 1870	LC	★★	□	□	■
<b>Ultramarine Flycatcher</b>	白眉藍姬鶇	<i>Ficedula superciljaris</i> (Jerdon, 1840)	LC	★	■	□	□
<b>Upland Pipit</b>	山鶇	<i>Anthus Sylvanus</i> (Hodgson, 1845)	LC	★	□	□	■
<b>Velvet-fronted Nuthatch</b>	絨額鶇	<i>Sitta frontalis</i> Swainson, 1820	LC	★★★	■	■	□
<b>Verditer Flycatcher</b>	銅藍鶇	<i>Eumyias thalassinus</i> (Swainson, 1838)	LC	★★	■	■	□
<b>Western Osprey</b>	鶚	<i>Pandion haliaetus</i> (Linnaeus, 1758)	LC	★	□	□	■
<b>White Wagtail</b>	白鶇鶇	<i>Motacilla alba</i> Linnaeus, 1758	LC	★★	■	□	□
<b>White-breasted Waterhen</b>	白胸苦惡鳥	<i>Amaurornis phoenicurus</i> (Pennant, 1769)	LC	★★★	■	□	□
<b>White-rumped Munia</b>	白腰文鳥	<i>Lonchura striata</i> (Linnaeus, 1766)	LC	★★★	■	■	■
<b>White-throated Kingfisher</b>	白胸翡翠	<i>Halcyon smyrnensis</i> (Linnaeus, 1758)	LC	★	■	□	□
<b>White-throated Needletail</b>	白喉針尾雨燕	<i>Hirundapus caudacutus</i> (Latham, 1802)	LC	★★	□	□	■
<b>White-throated Rock Thrush</b>	白喉磯鶇	<i>Monticola gularis</i> (Swinhoe, 1863)	LC	★	?	?	?
<b>White's Thrush</b>	懷氏地鸝	<i>Zoothera aurea</i> (Holandre, 1825)	LC	★★	■	□	□
<b>Yellow-bellied Prinia</b>	黃腹鷓鴣	<i>Prinia flaviventris</i> (Delessert, 1840)	LC	★★★	□	■	■
<b>Yellow-bellied Tit</b>	黃腹山雀	<i>Pardaliparus venustulus</i> (Swinhoe, 1870)	LC	★	?	?	?
<b>Yellow-browed Warbler</b>	黃眉柳鶯	<i>Phylloscopus inornatus</i> (Blyth, 1842)	LC	★★★	■	■	■
<b>Yellow-cheeked Tit</b>	黃頰山雀	<i>Machlolophus spilonotus</i> (Bonaparte, 1850)	LC	★★	□	■	■
<b>Yellow-legged Button Quail</b>	黃腳三趾鶇	<i>Turnix tanki</i> Blyth, 1843	LC	★	□	□	■
<b>Yellow-rumped Flycatcher</b>	白眉姬鶇	<i>Ficedula zanthopygia</i> (Hay, 1845)	LC	★★	?	?	?
<b>Yellow-streaked Warbler</b>	棕眉柳鶯	<i>Phylloscopus armandii</i> (Milne-Edwards, 1865)	LC	★	?	?	?

## Checklist of Amphibians

18 Species

兩棲類名錄

Common name	中文名	Genus & species Author(s)			KFBG distribution		
					lower	mid	upper
Asian Common Toad	黑眶蟾蜍	<i>Duttaphrynus melanostictus</i> (Schneider, 1799)	LC	☆☆☆	■	■	■
Asiatic Painted Frog	花狹口蛙	<i>Kaloula pulchra pulchra</i> Gray, 1831	LC	☆☆☆	■	■	□
Big headed Frog	大頭蛙	<i>Limnonectes fujianensis</i> Ye & Fei, 1994	LC	☆☆	■	□	■
Brown Tree Frog	斑腿樹蛙	<i>Polypedates megacephalus</i> Hallowell, 1861	LC	☆☆☆	■	■	■
Brown Wood Frog	闊褶蛙	<i>Hylarana latouchii</i> (Boulenger, 1899)	LC	☆☆☆	■	■	■
Butler's Pigmy Frog	粗皮姬蛙	<i>Microhyla butleri</i> Boulenger, 1900	LC	☆☆☆	■	■	■
Giant Spiny Frog	棘胸蛙	<i>Quasipaa spinosa</i> (David, 1875)	VU	☆	□	□	■
Green Cascade Frog	大綠蛙	<i>Odorrana graminea</i> (Boulenger, 1900)	DD	☆☆	■	■	■
Greenhouse Frog	溫室蟾	<i>Eleutherodactylus planirostris</i> (Cope, 1862)	LC	☆	■	□	□
Günther's Frog	沼蛙	<i>Sylvirana guentheri</i> (Boulenger, 1882)	LC	☆☆☆	■	■	■
Hong Kong Cascade Frog	香港湍蛙	<i>Amolops hongkongensis</i> (Pope & Romer, 1951)	EN	☆☆☆	□	■	■
Hong Kong Newt	香港瘰螈	<i>Paramesotriton hongkongensis</i> (Myers & Leviton, 1962)	NT	☆☆☆	■	■	■
Lau's Leaf Litter Frog	劉氏掌突蟾	<i>Leptolalax laui</i> Sung, Yang & Wang, 2014	NE	☆	□	■	■
Lesser Spiny Frog	小棘蛙	<i>Quasipaa exilispinosa</i> (Liu & Hu, 1975)	VU	☆☆☆	□	■	■
Marbled Pigmy Frog	花姬蛙	<i>Microhyla pulchra</i> (Hallowell, 1861)	LC	☆☆	■	□	□
Narrow-mouthed Frog	花細狹口蛙	<i>Kalophrynus interlineatus</i> (Blyth, 1855)	LC	☆☆	■	■	□
Romer's Tree Frog	盧氏小樹蛙	<i>Liuixalus romeri</i> (Smith, 1953)	EN	☆	?	?	?
Short-legged Toad	短肢角蟾	<i>Megophrys brachykolos</i> Inger & Romer, 1961	EN	☆☆	■	□	□

## Checklist of Reptiles

44 species

爬行類名錄

Common name	中文名	Genus & species Author(s)	NT LC VU NE DD	 	KFBG distribution		
					lower	mid	upper
Snakes							
Anderson's Stream Snake	香港后稜蛇	<i>Opisthotropis andersonii</i> (Boulenger, 1888)	NT	☆☆	■	■	□
Bamboo Snake	青竹蛇	<i>Cryptelytrops albolabris</i> (Gray, 1842)	LC	☆☆☆	■	■	□
Banded Krait	金環蛇	<i>Bungarus fasciatus</i> (Schneider, 1801)	LC	☆☆	□	■	□
Bicoloured Stream Snake	側條后稜蛇	<i>Opisthotropis lateralis</i> Boulenger, 1903	LC	☆	■	■	□
Burmese Python	蟒蛇	<i>Python bivittatus</i> Kuhl, 1820	VU	☆☆	■	■	■
Chinese Cobra	眼鏡蛇	<i>Naja atra</i> Cantor, 1842	VU	☆☆	■	■	■
Chinese Mountain Snake	黑頭劍蛇	<i>Sibynophis chinensis</i> (Günther, 1889)	LC	☆	■	■	■
Chinese Slug Snake	鈍頭蛇	<i>Pareas chinensis</i> (Barbour, 1912)	LC	☆☆☆	□	■	■
Common Blind Snake	鈎盲蛇	<i>Ramphotyphlops braminus</i> (Daudin, 1803)	NE	☆☆☆	■	■	■
Common Rat Snake	水律	<i>Ptyas mucosus</i> (Linnaeus, 1758)	NE	☆☆☆	■	■	■
Common Wolf Snake	白環蛇	<i>Lycodon aulicus</i> (Linnaeus, 1758)	NE	☆☆☆	■	■	■
Copperhead Racer	三索錦蛇	<i>Coelognathus radiatus</i> (F. Boie, 1827)	LC	☆☆☆	■	■	■
Diamond-backed Water Snake	環紋游蛇	<i>Sinonatrix aequifasciata</i> (Barbour, 1908)	LC	☆	■	■	□
Futsing Wolf Snake	福清白環蛇	<i>Lycodon futsingensis</i> (Pope, 1928)	LC	☆	■	■	□
Greater Green Snake	翠青蛇	<i>Ptyas major</i> (Günther, 1858)	LC	☆☆☆	■	■	■
Indo-Chinese Rat Snake	過樹榕	<i>Ptyas korros</i> (Schlegel, 1837)	NE	☆	■	■	□
King Cobra	眼鏡王蛇	<i>Ophiophagus hannah</i> (Cantor, 1836)	VU	☆☆	■	■	■
Large-spotted Cat Snake	繁花林蛇	<i>Boiga multomaculata</i> (F. Boie, 1827)	NE	☆☆	■	■	■
Maclelland's Coral Snake	麗紋蛇	<i>Sinomicrurus macclellandi</i> (Reinhardt, 1844)	NE	☆	□	■	□
Many-banded Krait	銀環蛇	<i>Bungarus multicinctus multicinctus</i> Blyth, 1861	LC	☆☆☆	■	■	□
Mock Viper	紫砂蛇	<i>Psammodynastes pulverulentus</i> (F. Boie, 1827)	NE	☆☆	■	■	■
Mountain Keelback	無鬚鱗游蛇	<i>Hebius atemporale</i> (Bourret, 1934)	DD	☆	□	■	■
Mountain Pit Viper	越南烙鐵頭	<i>Ovophis tonkinensis</i> (Bourret, 1934)	LC	☆	□	□	■
Mountain Water Snake	烏游蛇	<i>Sinonatrix percarinata percarinata</i> (Boulenger, 1899)	LC	☆☆☆	■	■	■
Red Mountain Racer	紫灰錦蛇	<i>Oreocryptophis porphyracea nigrofasciata</i> (Cantor, 1839)	NE	☆	■	■	■
Red-necked Keelback	紅脖游蛇	<i>Rhabdophis subminiatus helleri</i> (Schmidt, 1925)	LC	☆☆☆	■	■	■
Rufous Burrowing Snake	棕脊蛇	<i>Achalinus rufescens</i> Boulenger, 1888	LC	☆	■	■	■
Taiwan Kukri Snake	台灣小頭蛇	<i>Oligodon formosanus</i> (Günther, 1872)	LC	☆☆☆	■	■	■
White-browed Keelback	白眉游蛇	<i>Hebius boulengeri</i> (Gressitt, 1937)	LC	☆	□	□	■
White-spotted Slug Snake	橫紋鈍頭蛇	<i>Pareas margaritophorus</i> (Jan, 1866)	LC	☆☆☆	■	■	■
Yellow-spotted Keelback	黃斑魚游蛇	<i>Fowlea flavipunctatus</i> (Hallowell, 1860)	LC	☆☆☆	■	■	■
Geckoes							
Bowring's Gecko	原尾蜥虎	<i>Hemidactylus bowringii</i> (Gray, 1845)	LC	☆☆☆	■	■	■
Chinese Gecko	中國壁虎	<i>Gekko chinensis</i> Gray, 1842	LC	☆☆☆	■	■	■

## Checklist of Selected Fauna - Kadoorie Farm &amp; Botanic Garden 2020

<b>Reeves's Tokay Gecko</b>	大壁虎	<i>Gekko reevesii</i> (Gray, 1831)	NE	☆☆	■	■	□
Lizards							
<b>Changeable Lizard</b>	變色樹蜥	<i>Calotes versicolor</i> (Daudin, 1802)	NE	☆☆☆	■	■	■
<b>Grass Lizard</b>	南草蜥	<i>Takydromus sexlineatus ocellatus</i> (Guérin-Méneville 1829)	LC	☆☆	□	■	■
Skinks							
<b>Bronzed Forest Skink</b>	股鱗蜓蜥	<i>Sphenomorphus incognitus</i> (Thompson 1912)	LC	☆☆	□	■	□
<b>Brown Forest Skink</b>	印度蜓蜥	<i>Sphenomorphus indicus</i> (Gray, 1853)	NE	☆☆☆	■	■	■
<b>Chinese Skink</b>	石龍子	<i>Plestiodon chinensis</i> (Gray, 1838)	LC	☆☆☆	■	■	?
<b>Chinese Waterside Skink</b>	稜蜥	<i>Tropidophorus sinicus</i> Boettger, 1886	LC	☆☆	■	■	□
<b>Dark Forest Skink</b>	寧波滑蜥	<i>Scincella modesta</i> (Günther, 1864)	LC	☆☆	□	■	■
<b>Five-striped Blue-tailed Skink</b>	藍尾石龍子	<i>Plestiodon elegans</i> (Boulenger, 1887)	LC	☆☆	□	□	■
<b>Reeve's Smooth Skink</b>	南滑蜥	<i>Scincella reevesii</i> (Gray, 1838)	NE	☆☆	■	■	■
Turtles							
<b>Chinese Big-headed Turtle</b>	平胸龜	<i>Platysternon megacephalum</i> Gray, 1831	EN	☆☆	□	■	■

## Checklist of Fish

4 Species

## 淡水魚類名錄

Common name	中文名	Genus & species Author(s)				KFBG distribution		
						lower	mid	upper
Broken-band hillstream Loach	擬平鰕	<i>Liniparhomaloptera disparis</i> (Lin, 1934)	DD	C	☆☆☆			
Flat-headed Loach	平頭嶺鰕	<i>Oreonectes platycephalus</i> Günther, 1868	DD	C	☆☆☆			
Striped Loach	橫紋南鰕	<i>Schistura fasciolata</i> (Nichols & Pope, 1927)	DD	C	☆☆☆			
Sucker-belly Loach	麥氏擬腹吸鰕	<i>Pseudogastromyzon myersi</i> Herre, 1932	LC	C	☆☆☆			

## Checklist of Freshwater Crustaceans

3 Species

## 淡水甲殼類名錄

Common name	中文名	Genus & species Author(s)			KFBG distribution		
					lower	mid	upper
Atyid Shrimp	廣東米蝦	<i>Caridina cantonensis</i> Yü, 1938	LC	☆			
Freshwater Crab	鯉刺溪蟹	<i>Cryptopotamon anacoluthon</i> (Kemp, 1918)	VU	☆☆			
Swamp Shrimp*	沼蝦	<i>Macrobrachium</i> sp.	NE	☆☆☆			

\* The *Macrobrachium* species commonly found in the upper sections of Hong Kong's hillstreams is widely referred to locally as *Macrobrachium hainanense*. Local experts now consider this identification to be incorrect and that *Macrobrachium vietnamense* should be used instead. We encourage a peer reviewed taxonomic revision of the local shrimps.

## Checklist of Butterflies

174 species

## 蝴蝶名錄

Common name	中文名	Genus & species	Author(s)	 	KFBG distribution			
					lower	mid	upper	
<b>Hesperiidae</b>								
Banana Skipper	黃斑蕉弄蝶	<i>Erionota torus</i>	Evans, 1941	UC	☆☆	■	■	□
Chestnut Angle	角翅弄蝶	<i>Odontoptilum angulatum angulatum</i>	(C. Felder, 1862)	C	☆	□	■	□
Chestnut Bob	雅弄蝶	<i>Iambrix salsala salsala</i>	(Moore, 1866)	UC	☆☆	■	■	□
Chinese Dart	孔子黃室弄蝶	<i>Potanthus confucius confucius</i>	(C. & R. Felder, 1862)	UC	☆	□	□	□
Common Dart	木黃室弄蝶	<i>Potanthus pseudomaesa clio</i>	(Evans, 1932)	R	☆	□	□	□
Common Redeye	瑪弄蝶	<i>Matapa aria</i>	(Moore, 1866)	UC	☆☆	■	■	□
Common Spotted Flat	白觸星弄蝶	<i>Celaenorrhinus leucocera</i>	(Kollar, 1844)	VR	☆☆☆	■	■	■
Common Straight Swift	直紋稻弄蝶	<i>Parnara guttata</i>	(Bremer & Grey, 1853)	C	☆☆	■	■	■
Conjoined Swift	古銅穀弄蝶	<i>Pelopidas conjunctus conjunctus</i>	(Herrich-Schaffer, 1869)	R	☆☆	■	■	□
Contiguous Swift	黃紋孔弄蝶	<i>Polytremis lubricans lubricans</i>	(Herrich-Schaffer, 1869)	C	☆☆☆	■	■	■
Dark Palm Dart	黃紋長標弄蝶	<i>Telicota ohara formosana</i>	Fruhstorfer, 1911	R	☆	■	■	■
Dark Swift	放踵珂弄蝶	<i>Caltoris cahira</i>	(Moore, 1877)	R	☆☆☆	■	□	□
Forest Hopper	腌翅弄蝶	<i>Astictopterus jama chinensis</i>	(Leech 1890)	C	☆	□	■	□
Formosan Swift	杣弄蝶	<i>Borbo cinnara</i>	(Wallace, 1866)	C	☆☆	■	■	□
Great Swift	印度穀弄蝶	<i>Pelopidas assamensis</i>	(de Niceville, 1882)	R	☆	□	■	□
Greenish Palm Dart	紅翅長標弄蝶	<i>Telicota ancilla horisha</i>	Evans, 1934	UC	☆☆☆	■	■	■
Hainan Palm Dart	黑脈長標弄蝶	<i>Telicota besta besta</i>	Evans, 1949	VR	☆	□	□	□
Indian Awl King	綠弄蝶	<i>Choaspes benjaminii formosanus</i>	(Fruhstorfer, 1911)	VR	☆	□	■	□
Indian Palm Bob	素弄蝶	<i>Suastus gremius gremius</i>	(Fabricius, 1798)	UC	☆☆	□	■	□
Lesser Band Dart	斷紋黃室弄蝶	<i>Potanthus trachala trachala</i>	(Mabille, 1878)	R	☆	■	■	□
Little Branded Swift	南亞穀弄蝶	<i>Pelopidas agna agna</i>	(Moore, 1866)	UC	☆	□	■	□
Magpie Flat	白弄蝶	<i>Abraximorpha davidii</i>	(Mabille, 1876)	R	☆☆	■	■	■
Orange Awlet	黑斑傘弄蝶	<i>Bibasis oedipodea belesis</i>	(Mabille, 1876)	VR	☆	□	■	□
Orange Red Skirt	半黃綠弄蝶	<i>Choaspes hemixanthus furcatus</i>	Evans, 1932	VR	☆	□	■	□
Oriental Straight Swift	么紋稻弄蝶	<i>Parnara bada bada</i>	(Moore, 1878)	R	☆	□	■	□
Paintbrush Swift	刺脛弄蝶	<i>Baoris farri farri</i>	(Moore, 1878)	R	☆☆	□	■	□
Pale Awlet	白傘弄蝶	<i>Bibasis gomata gomata</i>	(Moore, 1866)	UC	☆☆	□	■	□
Plain Banded Awl	緯帶趾弄蝶	<i>Hasora vitta indica</i>	Evans, 1932	VR	☆	□	■	■
Purple and Gold Flitter	黃裳腫脈弄蝶	<i>Zographetus satwa</i>	(de Niceville, 1884)	R	☆	□	■	□
Rare Swift	曲紋稻弄蝶	<i>Parnara ganga</i>	Evans, 1937	UC	☆	■	■	□
Restricted Demon	曲紋袖弄蝶	<i>Notocrypta curvifascia curvifascia</i>	(C. & R. Felder, 1862)	UC	☆☆☆	■	■	□
Slate Awl	無趾弄蝶	<i>Hasora anura china</i>	de Niceville, 1889	R	☆	□	□	■
Tree Flitter	希弄蝶	<i>Hyarotis adrastus praba</i>	(Moore, 1866)	UC	☆☆☆	■	■	□
Water Snow Flat	沾邊裙弄蝶	<i>Tagiades litigiosus litigiosus</i>	Moschler, 1878	C	☆☆☆	■	■	■
White-banded Flat	匪夷捷弄蝶	<i>Gerosis phisara</i>	(Moore, 1884)	R	☆☆	□	■	□
<b>Lycaenidae</b>								
Albocaerulean	白斑嫵灰蝶	<i>Udara albocaerulea</i>	(Moore, 1879)	VR	☆	□	□	■
Broad Spark	生灰蝶	<i>Sinthusa chandrana grotei</i>	(Moore, 1884)	R	☆	□	■	□
Broadtail Royal	克灰蝶	<i>Creon cleobis cleobis</i>	(Godart, 1824)	VR	☆☆	■	□	□
Brown Onyx	白斑灰蝶	<i>Horaga albimacula triumphalis</i>	Murayama & Sibatani, 1943	VR	☆	□	■	□
Chocolate Royal	萊灰蝶	<i>Remelana jangala mudra</i>	Fruhstorfer, 1907	C	☆☆☆	■	■	■
Club Silverline	豆粒銀線灰蝶	<i>Spindasis syama peguana</i>	(Moore, 1884)	UC	☆	□	■	□
Common Caerulean	錫冷雅灰蝶	<i>Jamides celeno</i>	(Cramer, 1775)	R	☆☆	□	□	□

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

<b>Common Hedge Blue</b>	鈕灰蝶	<i>Acytolepis puspa gisca</i> (Fruhstorfer, 1910)	C	☆☆☆	■	■	□
<b>Common Onyx</b>	斑灰蝶	<i>Horaga onyx moltrechti</i> Matsumura, 1919	R	☆	□	■	□
<b>Cornelian</b>	玳灰蝶	<i>Deudorix epijarbas menesicles</i> (Fruhstorfer, 1912)	R	☆	■	■	□
<b>Dark Cerulean</b>	雅灰蝶	<i>Jamides bochus bochus</i> (Stoll, 1782)	C	☆☆	□	■	□
<b>Dark Grass Blue</b>	吉灰蝶	<i>Zizeeria karsandra karsandra</i> (Moore, 1865)	UC	☆	□	□	■
<b>Forget-me-not</b>	咖灰蝶	<i>Catochrysops strabo strabo</i> (Fabricius, 1793)	VR	☆☆	□	■	□
<b>Green Flash</b>	綠灰蝶	<i>Artipe eryx eryx</i> (Linnaeus, 1771)	UC	☆	□	■	□
<b>Lesser Forest Blue</b>	蚜灰蝶	<i>Taraka hamada isona</i> (Fruhstorfer, 1922)	R	☆☆	□	■	□
<b>Lesser Grass Blue</b>	毛眼灰蝶	<i>Zizina otis otis</i> (Fabricius, 1787)	C	☆	□	□	□
<b>Lime Blue</b>	紫灰蝶	<i>Chilades lajus</i> (Stoll, 1780)	C	☆	□	■	□
<b>Long-banded Silverline</b>	銀線灰蝶	<i>Spindasis lohita formsana</i> (Moore, 1877)	C	☆☆	□	■	□
<b>Long-tailed Blue</b>	亮灰蝶	<i>Lampides boeticus</i> (Linnaeus, 1767)	C	☆☆☆	■	■	□
<b>Metallic Cerulean</b>	素雅灰蝶	<i>Jamides alecto alocina</i> Swinhoe, 1915	VR	☆☆☆	■	□	□
<b>Orange Punch</b>	大斑尾蛭蝶	<i>Dodona egeon egeon</i> (Westwood, 1851)	R	☆	□	□	■
<b>Pale Grass Blue</b>	酢漿灰蝶	<i>Zizeeria maha</i> (Kollar, 1844)	VC	☆☆☆	■	■	■
<b>Plain Hedge Blue</b>	薰衣琉璃灰蝶	<i>Celastrina lavendularis limbata</i> (Moore, 1879)	VR	☆	□	■	□
<b>Plum Judy</b>	蛇目褐蛭蝶	<i>Abisara echerius echerius</i> (Stoll, 1790)	VC	☆☆☆	■	■	■
<b>Powdered Oak Blue</b>	百嬌灰蝶	<i>Arhopala bazalus turbata</i> Butler, 1882	R	☆	□	■	□
<b>Punchinello</b>	波蛭蝶	<i>Zemeros flegyas flegyas</i> (Cramer, 1780)	C	☆☆☆	■	■	■
<b>Purple Sapphire</b>	斜斑彩灰蝶	<i>Heliophorus epicles phoenicoparyphus</i> (Holland, 1887)	C	☆☆	■	□	□
<b>Quaker</b>	一點灰蝶	<i>Neopithecops zalmora zalmora</i> (Butler, 1870)	UC	☆	■	■	□
<b>Silver Streak Blue</b>	鐵木菜異灰蝶	<i>Iraota timoleon timoleon</i> (Stoll, 1790)	UC	☆☆	■	■	■
<b>Slate Flash</b>	燕灰蝶	<i>Rapala manea schistacea</i> (Moore, 1879)	C	☆	■	■	■
<b>Small Cabbage White</b>	菜粉蝶	<i>Pieris rapae crucivora</i> (Boisduval, 1836)	R	☆☆☆	■	■	□
<b>Small Grass Blue</b>	瑤灰蝶	<i>Famegana alsulus eggletoni</i> (Corbet, 1941)	UC	☆	□	□	■
<b>Spotted Royal</b>	豹斑雙尾灰蝶	<i>Tajuria maculata</i> (Hewitson, 1865)	VR	☆	□	■	□
<b>Tailed Cupid</b>	長尾藍灰蝶	<i>Everes lacturnus rileyi</i> Godfrey, 1916	C	☆	□	□	■
<b>Tailless Lineblue</b>	疑波灰蝶	<i>Prosotas dubiosa</i> (Semper, 1879)	NE	☆☆	■	□	□
<b>Toothed Sunbeam</b>	尖翅銀灰蝶	<i>Curetis denta denta</i> Evans, 1954	UC	☆☆☆	■	■	■
<b>Transparent Six-line Blue</b>	古樓娜灰蝶	<i>Nacaduba kurava euplea</i> Fruhstorfer, 1916	C	☆☆☆	■	■	□
<b>Nymphalidae</b>							
<b>Angled Castor</b>	波蛭蝶	<i>Ariadne ariadne alterna</i> (Moore, 1878)	C	☆	□	■	□
<b>Angled Red Forester</b>	曲紋黛眼蝶	<i>Lethe chandica</i> Moore, 1858	UC	☆☆	■	□	□
<b>Bamboo Tree Brown</b>	長紋黛眼蝶	<i>Lethe europa beroe</i> (Cramer, 1775)	UC	☆☆☆	■	■	■
<b>Banded Tree Brown</b>	白帶黛眼蝶	<i>Lethe confusa confusa</i> Aurivillius, 1898	C	☆☆☆	■	■	■
<b>Black Prince</b>	羅蛭蝶	<i>Rohana parisatis staurakius</i> (Fruhstorfer, 1913)	C	☆☆☆	■	■	■
<b>Black-veined Sergeant</b>	離斑帶蛭蝶	<i>Athyma ranga serica</i> (Leech, 1892)	UC	☆☆☆	■	■	■
<b>Blue Admiral</b>	琉璃蛭蝶	<i>Kaniska canace canace</i> (Linnaeus, 1763)	C	☆☆☆	■	■	■
<b>Blue Pansy</b>	翠藍眼蛭蝶	<i>Junonia orithya orithya</i> (Linnaeus, 1758)	UC	☆	■	□	□
<b>Blue-spotted Crow</b>	藍點紫斑蝶	<i>Euploea midamus midamus</i> (Linnaeus, 1758)	VC	☆☆☆	■	■	■
<b>Blue Tiger</b>	青斑蝶	<i>Tirumala limniace limniace</i> (Cramer, 1775)	C	☆☆☆	■	■	■
<b>Ceylon Blue Glassy Tiger</b>	擬濤斑蝶	<i>Ideopsis similis similis</i> (Linnaeus, 1758)	VC	☆☆☆	■	■	■
<b>Chestnut Tiger</b>	大絹斑蝶	<i>Parantica sita sita</i> (Kollar, 1844)	R	☆☆	■	■	■
<b>Chocolate Pansy</b>	鈎翅眼蛭蝶	<i>Junonia iphita iphita</i> (Cramer, 1779)	C	☆☆☆	■	■	■
<b>Colour Sergeant</b>	相思帶蛭蝶	<i>Athyma nefte seitzi</i> (Fruhstorfer, 1906)	C	☆☆☆	■	■	■
<b>Common Duffer</b>	鳳眼方環蝶	<i>Discophora sondaica tulliana</i> Stichel, 1905	UC	☆	□	■	□
<b>Common Evening Brown</b>	暮眼蝶	<i>Melanitis leda leda</i> (Linnaeus, 1758)	C	☆☆☆	■	■	■
<b>Common Five-ring</b>	矚眼蝶	<i>Ypthima baldus baldus</i> (Fabricius, 1775)	VC	☆☆☆	■	■	■
<b>Common Indian Crow</b>	幻紫斑蝶	<i>Euploea core amymone</i> (Godart, 1819)	C	☆☆☆	■	■	■

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

Common Jester	散紋盛蛺蝶	<i>Symbrenthia lilaea lunica</i> (Bascombe, Johnston & Bascombe, 1999)	C	☆☆☆	■	■	■
Common Lascar	金蟠蛺蝶	<i>Pantoporia hardonia</i> (Stoll, 1790)	UC	☆☆☆	■	■	■
Common Leopard	珙蛺蝶	<i>Phalanta phalantha phalantha</i> (Drury, 1773)	VR	☆	□	■	□
Common Mapwing	網絲蛺蝶	<i>Cyrestis thyodamas chinensis</i> Martin, 1903	C	☆☆☆	■	■	■
Common Nawab	窄斑鳳尾蛺蝶	<i>Polyura athamas athamas</i> (Drury, 1773)	UC	☆☆☆	■	■	■
Common Palmfly	翠袖鋸眼蝶	<i>Elymnias hypermnestra hainana</i> Moore, 1878	C	☆☆☆	■	■	□
Common Sailor	中環蛺蝶	<i>Neptis hylas hylas</i> (Linnaeus, 1758)	VC	☆☆	□	■	□
Common Sergeant	玄珠帶蛺蝶	<i>Athyma perius perius</i> (Linnaeus, 1758)	UC	☆	□	□	□
Common Tiger	虎斑蝶	<i>Danaus genutia genutia</i> (Cramer, 1779)	C	☆☆☆	■	■	■
Common Tree Brown	波紋黛眼蝶	<i>Lethe rohria permagnis</i> Fruhstorfer, 1911	UC	☆☆	■	■	□
Constable	電蛺蝶	<i>Dichorragia nesimachus formosanus</i> Fruhstorfer, 1908	R	☆☆☆	□	□	■
Courtesan	芒蛺蝶	<i>Euripus nyctelius</i> (Doubleday, 1845)	VR	☆	□	□	■
Danaid Egg-fly	金斑蛺蝶	<i>Hypolimnias misippus</i> (Linnaeus, 1764)	UC	☆	□	□	■
Dark Blue Tiger	蕃青斑蝶	<i>Tirumala septentrionis septentrionis</i> (Butler, 1874)	VR	☆	□	■	□
Dark Evening Brown	睇暮眼蝶	<i>Melanitis phedima muskata</i> Fruhstorfer, 1908	UC	☆☆☆	■	■	□
Dark-branded Bush Brown	小眉眼蝶	<i>Mycalesis mineus mineus</i> (Linnaeus, 1758)	VC	☆☆	□	■	□
Eastern Courtier	帥蛺蝶	<i>Sephis chandra androdamas</i> Fruhstorfer, 1908	VR	☆	□	□	■
Five-dot Sergeant	殘鏢綠蛺蝶	<i>Parathyma sulphitia</i> (Cramer, 1779)	C	☆☆☆	■	■	■
Gaudy Baron	紅斑翠蛺蝶	<i>Euthalia lubentina lubentina</i> (Cramer, 1777)	UC	☆	■	□	□
Glassy Tiger	絹斑蝶	<i>Parantica aglea melanooides</i> Moore, 1883	C	☆☆☆	□	■	□
Great Egg-fly	幻紫斑蛺蝶	<i>Hypolimnias bolina kezia</i> (Butler, 1878)	C	☆☆☆	■	■	■
Grey Pansy	波紋眼蛺蝶	<i>Junonia atlites atlites</i> (Linnaeus, 1763)	C	☆	■	□	□
Indian Fritillary	斐豹蛺蝶	<i>Argyreus hyperbius hyperbius</i> (Linnaeus, 1763)	C	☆☆☆	■	■	■
Indian Red Admiral	大紅蛺蝶	<i>Vanessa indica indica</i> (Herbst, 1794)	UC	☆☆☆	□	■	■
Large Faun	串珠環蝶	<i>Faunis eumeus eumeus</i> (Drury, 1773)	C	☆	□	■	□
Lemon Pansy	蛇眼蛺蝶	<i>Junonia lemonias lemonias</i> (Linnaeus, 1758)	C	☆☆	■	■	□
Muirhead's Labyrinth	蒙鏈陰眼蝶	<i>Neope muirheadii</i> (C. & R. Felder, 1862)	UC	☆☆☆	□	■	□
Orange Oakleaf	枯葉蛺蝶	<i>Kallima inachus chinensis</i> Swinhoe, 1893	VR	☆	□	■	□
Painted Lady	小紅蛺蝶	<i>Vanessa cardui</i> (Linnaeus, 1758)	R	☆	■	■	■
Peacock Pansy	美眼蛺蝶	<i>Junonia almana almana</i> (Linnaeus, 1758)	C	☆	■	□	□
Plain Tiger	金斑蝶	<i>Danaus chrysippus chrysippus</i> (Linnaeus, 1758)	UC	☆☆	□	■	□
Red Lacewing	紅鋸蛺蝶	<i>Cethosia biblis phanaroia</i> (Fruhstorfer, 1912)	UC	☆	□	■	□
Red Ring Skirt	黑脈蛺蝶	<i>Hestina assimilis assimilis</i> (Linnaeus, 1758)	C	☆☆☆	■	■	■
Rustic	黃襟蛺蝶	<i>Cupha erymanthis erymanthis</i> (Drury, 1773)	VC	☆☆☆	■	■	■
Shan Nawab	忘憂尾蛺蝶	<i>Polyura nepenthes nepenthes</i> (Grose-Smith, 1883)	UC	☆☆☆	■	■	■
Short-banded Sailor	柱菲蛺蝶	<i>Phaedyma columella columella</i> (Cramer, 1780)	C	☆☆☆	■	■	■
Small Yellow Sailor	彌環蛺蝶	<i>Neptis miah nolana</i> (Druce, 1874)	VR	☆	□	■	□
South China Bush Brown	平頂眉眼蝶	<i>Mycalesis zonata</i> Matsumura, 1909	C	☆☆☆	■	■	■
Southern Sullied Sailor	珂環蛺蝶	<i>Neptis clinia susruta</i> Moore, 1872	C	☆☆☆	■	■	■
Staff Sergeant	新月帶蛺蝶	<i>Athyma selenophora leucophryne</i> (Fruhstorfer, 1912)	C	☆☆	■	■	■
Straight-banded Tree Brown	玉帶黛眼蝶	<i>Lethe verma stenopa</i> Fruhstorfer, 1908	VR	☆	□	■	□
Straight Five-ring	黎桑矍眼蝶	<i>Ypthima lisandra lisandra</i> (Cramer, 1780)	C	☆☆☆	□	□	□
Striped Blue Crow	異型紫斑蝶	<i>Euploea mulciber mulciber</i> (Cramer, 1777)	UC	☆☆	□	■	■
Sullied Sailor	娑環蛺蝶	<i>Neptis soma tayalina</i> Murayama & Shimonoya, 1968	VR	☆☆☆	■	■	■
Tawny Rajah	白帶螯蛺蝶	<i>Charaxes bernardus bernardus</i> (Fabricius, 1793)	C	☆☆☆	■	■	■
Vagrant	彩蛺蝶	<i>Vagrans egista brixia</i> (Fruhstorfer, 1912)	VR	☆	□	■	■
White Commodore	丫紋俳蛺蝶	<i>Parasarpa dudu</i> (Westwood, 1850)	C	☆☆☆	■	■	■
White-edged Blue Baron	尖翅翠蛺蝶	<i>Euthalia phemius seitzii</i> Fruhstorfer, 1913	C	☆	■	■	□

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

<b>Yellow Pansy</b>	黃裳眼蛺蝶	<i>Junonia hierta hierta</i> (Fabricius, 1798)	R	☆☆	□	□	■
<b>Yellow Rajah</b>	螯蛺蝶	<i>Charaxes marmax</i> Westwood, 1847	UC	☆☆	□	■	■
<b>Papilionidae</b>							
<b>Chinese Peacock</b>	碧鳳蝶	<i>Papilio bianor bianor</i> Cramer, 1777	C	☆☆☆	■	■	■
<b>Common Birdwing</b>	裳鳳蝶	<i>Troides helena spilotia</i> Rothschild, 1908	LC	☆☆☆	■	■	□
<b>Common Bluebottle</b>	青鳳蝶	<i>Graphium sarpedon sarpedon</i> (Linnaeus, 1758)	VC	☆☆☆	■	■	■
<b>Common Jay</b>	木蘭青鳳蝶	<i>Graphium doson axion</i> (C. & R. Felder, 1864)	C	☆	■	■	■
<b>Common Mime</b>	斑鳳蝶	<i>Papilio clytia clytia</i> Linnaeus, 1758	C	☆☆☆	■	■	■
<b>Common Mormon</b>	玉帶鳳蝶	<i>Papilio polytes polytes</i> Linnaeus, 1758	VC	☆☆☆	■	■	■
<b>Common Rose</b>	紅珠鳳蝶	<i>Pachliopta aristolochiae goniopeltis</i> (Rothschild, 1908)	R	☆☆☆	□	■	□
<b>Five-bar Swordtail</b>	綠鳳蝶	<i>Graphium antiphates antiphates</i> (Cramer, 1775)	C	☆☆	■	■	■
<b>Glassy Bluebottle</b>	寬帶青鳳蝶	<i>Graphium cloanthus clymenus</i> Leech, 1893	UC	☆☆	□	□	■
<b>Golden Birdwing</b>	金裳鳳蝶	<i>Troides aeacus aeacus</i> (C. & R. Felder, 1860)	LC	☆☆	□	■	□
<b>Great Mormon</b>	美鳳蝶	<i>Papilio memnon agenor</i> Linnaeus, 1758	VC	☆☆☆	■	■	■
<b>Lime Butterfly</b>	達摩鳳蝶	<i>Papilio demoleus demoleus</i> Linnaeus, 1758	C	☆	■	■	■
<b>Paris Peacock</b>	巴黎翠鳳蝶	<i>Papilio paris paris</i> Linnaeus, 1758	VC	☆☆☆	□	■	□
<b>Red Helen</b>	玉斑鳳蝶	<i>Papilio helenus helenus</i> Linnaeus, 1758	VC	☆☆☆	■	■	■
<b>Spangle</b>	藍鳳蝶	<i>Papilio protenor protenor</i> Cramer, 1775	VC	☆☆☆	■	■	■
<b>Swallowtail</b>	柑橘鳳蝶	<i>Papilio xuthus xuthus</i> Linnaeus, 1767	R	☆	□	□	■
<b>Tailed Jay</b>	統帥青鳳蝶	<i>Graphium agamemnon agamemnon</i> (Linnaeus, 1758)	C	☆☆☆	■	■	■
<b>White Dragontail</b>	燕鳳蝶	<i>Lamproptera curius walkeri</i> (Moore, 1902)	R	☆☆☆	□	■	□
<b>Pieridae</b>							
<b>Common Grass Yellow</b>	寬邊黃粉蝶	<i>Eurema hecabe hecabe</i> (Linnaeus, 1758)	VC	☆☆☆	■	■	■
<b>Common Gull</b>	黑脈園粉蝶	<i>Cepora nerissa nerissa</i> (Fabricius, 1775)	C	☆☆☆	□	■	■
<b>Great Orange-tip</b>	鶴項粉蝶	<i>Hebomoia glaucippe glaucippe</i> (Linnaeus, 1758)	C	☆☆☆	■	■	■
<b>Hill Jezebel</b>	艷婦斑粉蝶	<i>Delias belladonna kwangtungensis</i> Talbot, 1928	VR	☆	□	■	■
<b>Indian Cabbage White</b>	東方菜粉蝶	<i>Pieris canidia canidia</i> (Linnaeus, 1768)	VC	☆☆☆	■	■	■
<b>Lemon Emigrant</b>	遷粉蝶	<i>Catopsilia pomona pomona</i> (Fabricius, 1775)	C	☆☆	■	■	□
<b>Mottled Emigrant</b>	梨花遷粉蝶	<i>Catopsilia pyranthe pyranthe</i> (Linnaeus, 1758)	VC	☆☆	■	■	□
<b>Painted Jezebel</b>	優越斑粉蝶	<i>Delias hyparete hierte</i> (Hübner, 1818)	UC	☆☆	■	■	■
<b>Red-base Jezebel</b>	報喜斑粉蝶	<i>Delias pasithoe pasithoe</i> (Linnaeus, 1767)	VC	☆☆☆	■	■	■
<b>Red-breast Jezebel</b>	紅腋斑粉蝶	<i>Delias acalis acalis</i> (Godart, 1819)	R	☆	■	■	■
<b>Small Grass Yellow</b>	無標黃粉蝶	<i>Eurema brigitta rubella</i> (Wallace, 1867)	R	☆	□	□	□
<b>Spotless Grass Yellow</b>	尖角黃粉蝶	<i>Eurema laeta betheseba</i> (Janson, 1878)	VR	☆☆☆	□	■	□
<b>Spotted Sawtooth</b>	鋸粉蝶	<i>Prioneris thestylis formosana</i> Fruhstorfer, 1908	R	☆	□	□	■
<b>Tailed Sulphur</b>	檀方粉蝶	<i>Dercas verhuelli verhuelli</i> (van der Hoeven, 1839)	R	☆	□	■	□
<b>Three-spot Grass Yellow</b>	擘黃粉蝶	<i>Eurema blanda hylama</i> Corbet & Pendlebury, 1932	C	☆☆☆	■	■	■
<b>Yellow Orange-tip</b>	橙粉蝶	<i>Ixias pyrene pyrene</i> (Linnaeus, 1764)	UC	☆☆☆	□	■	□

## Checklist of Rove Beetles

162 species

隱翅蟲名錄

Genus & species	Author(s)	KFBG status	KFBG distribution			
			lower	mid	upper	KC*
<i>Acylophorus</i> sp. 2		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Acylophorus</i> undesc. sp. 1		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Aleochara asiatica</i> (Kraatz, 1859)		★	■	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Aleochara formosanorum</i> (Pace, 1993)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Aleochara globus</i> (Pace, 1999)		★	■	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Aleochara nigra</i> (Kraatz, 1859)		★★★	■	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Alloplandria problematica</i> (Pace, 1999)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Anotylus armifrons</i> (Cameron, 1940)		★★★	■	■	■	■
<i>Anotylus glareosus</i> (Wollaston, 1854)		★★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Anotylus grandiceps</i> (Bernhauer, 1931)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Anotylus latiusculus</i> (Kraatz, 1859)		★★	■	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Anotylus nitidifrons</i> (Wollaston, 1871)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Anotylus nitouensis</i> (Bernhauer, 1935)		★	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
<i>Apimela consors</i> (Pace, 1992)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Apimela lineola</i> (Kraatz, 1859)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Astenus flavipennis</i> (Cameron, 1931 )		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Astenus taprobanus</i> (Cameron, 1919)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atanygnathus</i> sp. 1		★	■	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Atanygnathus</i> sp. 3		★	<input type="checkbox"/>	<input type="checkbox"/>	■	<input type="checkbox"/>
<i>Atheta annuliventris</i> (Kraatz, 1859)		★★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta birmana</i> (Pce, 1984)		★★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta ciu</i> (Pace, 1993)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta dilutipennis</i> (Motschulsky, 1858)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta fungi</i> (Gravenhorst, 1806)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta inornata</i> (Kraatz, 1859)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta kadooriana</i> (Pace, 1998)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta kadooriorum</i> (Pace, 1998)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta lewisiana</i> (Cameron, 1933)		★	■	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Atheta mimoformosa</i> (Pace, 1998)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta mon</i> (Pace, 1992)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta pseudocoriaria</i> (Cameron, 1939)		★★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta reitteriana</i> (Bernhauer 1939)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta retroarmata</i> (Pace, 1998)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta roridenotha</i> (Pace, 1999)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta tricholutea</i> (Pace, 1999)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta vagans</i> (Bernhauer, 1907)		★★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta vicaria</i> (Kraatz, 1859)		★★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Atheta villaekadooriensis</i> (Pace, 1998)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Belonuchus rufoniger</i> (Fauvel, 1895)		★	■	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Brachida hongkongensis</i> (Pace, 1998)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Brachida kadooriorum</i> (Pace, 1998)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Brachida solifuga</i> (Pace, 1998)		★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■
<i>Carpelimus formosae</i> (Cameron, 1940)		★	■	■	■	<input type="checkbox"/>
<i>Carpelimus minusculus</i> (Motschulsky, 1851)		★★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	■

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

<i>Carpelimus rivularis</i> (Motschulsky, 1860)	★	■	■	■	■
<i>Carpelimus undesc.</i> sp. 4	★	□	□	□	■
<i>Cephaplakoxena rougemonti</i> (Pace, 1998)	★	□	□	□	■
<i>Charichirus chinensis</i> (Boheman, 1858)	★	■	□	□	□
<i>Clavilispinus exiguus</i> (Erichson, 1840)	★★★	□	□	□	■
<i>Coenonica absurda</i> (Pace, 1998)	★	□	□	□	■
<i>Coenonica javana</i> (Bernhauer, 1914)	★	□	□	□	■
<i>Coproporus</i> (#) sp. 8	★	□	□	□	■
<i>Coproporus bunneidollis</i> (Motschulsky, 1858)	★★★	■	■	■	■
<i>Coproporus minimus</i> (Motschulsky, 1858)	★	■	■	■	■
<i>Coproporus tachyporoides</i> (Kraatz, 1859)	★★★	■	■	■	■
<i>Cordalia vestita</i> (Boheman, 1858)	★★★	■	■	■	■
<i>Demerinda hongkongensis</i> (Pace, 1998)	★	□	□	□	■
<i>Demerinda rougemonti</i> (Pace, 1999)	★	□	□	□	■
<i>Dentaphila mirabilis</i> (Pace, 1998)	★	□	□	□	■
<i>Dianous coeruleovestitus</i> (Puthz, 2000)	★	□	■	□	□
<i>Doryloxenus hongkongensis</i> (Pace, 1998)	★	□	□	□	■
<i>Doryloxenus rougemonti</i> (Pace, 1998)	★	□	□	□	■
<i>Drusilla gibberella</i> (Pace, 1998)	★	□	□	□	■
<i>Drusilla kadooriorum</i> (Pace, 1998)	★	□	□	□	■
<i>Edaphus annamensis</i> (Puthz, 1979)	★	□	□	□	■
<i>Edaphus dubius</i> (Puthz, 1998)	★	□	□	□	■
<i>Edaphus lineolifer</i> (Puthz, 1998)	★	□	□	□	■
<i>Edaphus mendosus</i> (Puthz, 1998)	★★	□	□	□	■
<i>Edaphus noviesimpressus</i> (Puthz, 1998)	★	■	■	■	□
<i>Edaphus planus</i> (Puthz, 1979)	★	□	□	□	■
<i>Eleusis kraatzi</i> (Fauvel, 1905)	★	■	□	□	□
<i>Erichsonius undesc.</i> sp.	★	□	□	□	■
<i>Gabronthus inclinans</i> (Walker, 1859)	★	■	□	□	□
<i>Gabronthus sulcifrons</i> (Sharp, 1889)	★	■	□	□	□
<i>Geostiba hongkongensis</i> (Pace, 1998)	★	□	□	□	■
<i>Gnypeta lucidula</i> (Pace, 1998)	★	□	□	□	■
<i>Gnypeta samchunensis</i> (Pace, 1998)	★	□	□	□	■
<i>Gyrophaena anguli</i> (Pace, 1999)	★	□	□	□	■
<i>Gyrophaena appendiculata</i> (Motschulsky, 1858)	★	□	□	□	■
<i>Gyrophaena lividooides</i> (Pace, 1998)	★	□	□	□	■
<i>Holobus ingrami</i> (Williams, 1986)	★	■	□	□	□
<i>Hydrosmecta rougemonti</i> (Pace, 1998)	★	□	□	□	■
<i>Hypomedon debilicornis</i> (Wollaston, 1857)	★	■	□	□	□
<i>Indosorius rufipes</i> (Motschulsky, 1857)	★	■	□	■	■
<i>Ischnosoma</i> sp. 1	★	■	□	□	□
<i>Ischnosoma</i> sp. 2	★	□	□	□	■
<i>Ischnosoma</i> sp. 4	★	□	□	□	■
<i>Ischnosoma</i> sp. 5	★	□	□	□	■
<i>Lathrobium hongkongensis</i> (Bernhauer, 1931)	★	■	□	□	□
<i>Lepidophallus metallicus</i> (Fauvel, 1895)	★	■	□	□	■
<i>Leptusa microvolans</i> (Pace, 1997)	★	□	□	□	■
<i>Lispinus impressicollis</i> (Motschulsky, 1857)	★	□	□	□	■
<i>Lithocharis nigriceps</i> (Kraatz, 1859)	★★★	■	□	□	□

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

<i>Lithocharis sororcula</i> (Kraatz, 1859)	★	■	□	□	□
<i>Lithocharis uvida</i> (Kraatz, 1859)	★	■	□	□	□
<i>Lithocharis vilis</i> (Kraatz, 1859)	★	■	□	□	□
<i>Medon planus</i> (Kraatz, 1859)	★	■	□	□	□
<i>Medon undesc. sp. 2</i>	★	■	□	□	□
<i>Mesomegaskela adesi</i> (Pace, 1998)	★	□	□	□	■
<i>Mimacrotona ousseti</i> (Pace, 1990)	★	□	□	□	■
<i>Myllaena adesi</i> (Pace, 1998)	★	■	□	□	■
<i>Myllaena hongkongiphila</i> (Pace, 1999)	★	□	□	□	■
<i>Myrmecocephalus pallipennis</i> (Cameron, 1939)	★	□	□	□	■
<i>Myrmecocephalus semilucens</i> (Cameron, 1950)	★	□	□	□	■
<i>Neosclerus sp.</i>	★	□	□	■	□
<i>Neosilusa ceylonica</i> (Kraatz, 1857)	★	■	■	■	■
<i>Odontoxenus hongkongensis</i> (Pace, 1998)	★	□	□	□	■
<i>Odontoxenus rougemonti</i> (Pace, 1998)	★	□	□	□	■
<i>Oligota pusillima</i> (Gravenhorst, 1806)	★	□	□	□	■
<i>Oxytelopsis sp. undesc.</i>	★★★	■	□	■	■
<i>Paradictyon undesc. sp.</i>	★	□	□	□	■
<i>Paraphloeostiba apicalis</i> (Cameron, 1925)	★	□	□	□	■
<i>Pelioptera eremita</i> (Pace, 1998)	★	□	□	□	■
<i>Pelioptera kowloonensis</i> (Pace, 1998)	★	□	□	□	■
<i>Pelioptera kwantungensis</i> (Pace, 1998)	★	□	□	□	■
<i>Pelioptera micans</i> (Kraatz, 1857)	★	□	□	□	■
<i>Pelioptera opaca</i> (Kraatz, 1857)	★	□	□	□	■
<i>Pelioptera samchunensis</i> (Pace, 1998)	★	□	□	□	■
<i>Pelioptera testaceipennis</i> (Motschulsky, 1858)	★	□	□	□	■
<i>Phacophallus japonicus</i> (Cameron, 1933)	★	■	□	□	□
<i>Phacophallus pallidipennis</i> (Motschulsky, 1858)	★	■	□	□	□
<i>Philonthus acroleucus</i> (Kraatz, 1859)	★	■	□	□	■
<i>Philonthus falavocinctus</i> (Motschulsky, 1858)	★★★	■	□	□	■
<i>Philonthus gemellus</i> (Kraatz, 1859)	★	■	□	□	□
<i>Philonthus hongkongensis</i> (Bernhauer, 1931)	★	■	□	□	■
<i>Philonthus rectangulus</i> (Sharp, 1874)	★	■	□	□	□
<i>Philonthus remotus</i> (Fauvel, 1895)	★	■	□	□	■
<i>Philonthus tardus</i> (Kraatz, 1859)	★	■	□	□	■
<i>Philonthus undesc. sp. 1</i>	★	■	□	□	■
<i>Philonthus variipennis</i> (Kraatz, 1859)	★	□	□	□	■
<i>Pinonepalus parvos</i> (Cameron, 1918)	★	□	□	□	■
<i>Pinonepalus undesc. sp. 2</i>	★	□	□	□	■
<i>Placusa kadooriorum</i> (Pace, 1999)	★	□	□	□	■
<i>Platystethus operosus</i> (Sharp, 1874)	★	□	□	□	■
<i>Pseudatheta franzi</i> (Pace, 1992)	★	□	□	□	■
<i>Pseudobrachida hongkongensis</i> (Pace, 1999)	★	□	□	□	■
<i>Pseudoplandria osellaiana</i> Pace, 1984	★	□	□	□	■
<i>Rugilus ceylanensis</i> (Kraatz, 1859)	★★★	■	□	□	□
<i>Rugilus rufescens</i> (Sharp, 1874)	★	■	□	□	□
<i>Scopaeus sp. 4</i>	★	■	□	□	□
<i>Sepedophilus sp. 1</i>	★	□	□	□	■
<i>Sepedophilus sp. 4</i>	★	■	■	■	□

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

<i>Silusa bodemeueri</i> (Eppelsheim, 1883)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Sinophilus rougemonti</i> (Pace, 1998)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Stenomastax kadoorianum</i> (Pace, 1998)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Stenomastax nigriscens</i> (Fauvel, 1905)	★	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Stenus bivulneratus</i> (Motschulsky, 1857)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Stenus dissimilis</i> (Sharp, 1874)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Taractomora orientis</i> (Pace, 1998)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Taxiplagus</i> undesc. sp.	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Tetrapleurus</i> undesc. sp. 2	★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Tetrasticta</i> sp. ?	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Thyreocephalus hongkongensis</i> (Redtenbacher, 1867)	★	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Tinotus</i> sp.	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Tympanophorus sauteri</i> (Bernhauer, 1907)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Xanthophilus filum</i> (Kraatz, 1859)	★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Ystrixoxygma fusicornis</i> (Pace, 1999)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Zyras adesi</i> (Pace, 1998)	★★★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Zyras fratrumkadoorianum</i> (Pace, 1998)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Zyras kadoorianus</i> (Pace, 1998)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Zyras notaticornis</i> (Pace, 1998)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Zyras orientalis</i> (Bernhauer, 1929)	★	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

\*KC is Kadoorie Centre and includes short term tenancy land which belongs to KFBG.

## Checklist of Ants

77 Species

蟻名錄

<i>Genus &amp; species</i> Author(s)	KFBG distribution		
	lower	mid	upper
<i>Aenictus aratus</i> (Forel, 1900)	?	?	?
<i>Aenictus cf. ceylonicus</i> (Mayr, 1866)	?	?	?
<i>Aenictus dentatus</i> (Forel, 1911)	?	?	?
<i>Anochetus risii</i> (Forel, 1900)	?	?	?
<i>Anoplolepis gracilipes</i> (Smith, 1857)	■	■	■
<i>Aphaenogaster exasperata</i> (Wheeler, 1921)	□	■	□
<i>Brachyponera obscurans</i> (Walker, 1859)	?	?	?
<i>Brachyponera</i> sp.	■	□	□
<i>Camponotus carin</i> (Emery, 1889)	?	?	?
<i>Camponotus nicobarensis</i> (Mayr, 1865)	■	■	□
<i>Camponotus rufoglaucus</i> (Jerdon, 1851)	?	?	?
<i>Camponotus variegatus</i> (F. Smith, 1858)	□	■	□
<i>Cardiocondyla wroughtonii</i> (Forel, 1890)	■	□	□
<i>Carebara affinis</i> (Jerdon, 1851)	?	?	?
<i>Carebara altinoda</i> (Xu, 2003)	?	?	?
<i>Carebara cribriceps</i> (Wheeler, 1927)	□	■	□
<i>Carebara diversus</i> (Jerdon, 1851)	■	□	□
<i>Carebara rectidorsa</i> (Xu, 2003)	?	?	?
<i>Carebara reticapita</i> (Xu, 2003)	?	?	?
<i>Carebara wheeleri</i> (Ettershank, 1966)	□	■	□
<i>Crematogaster cf. biroi</i> (Mayr, 1897)	?	?	?
<i>Crematogaster cf. dohrni</i> (Mayr, 1879)	■	■	□
<i>Crematogaster cf. ebenina</i> (Forel, 1902)	■	□	□
<i>Crematogaster egidyi</i> (Forel, 1903)	?	?	?
<i>Crematogaster ferrarii</i> (Emery, 1888)	?	?	?
<i>Diacamma rugosum anceps</i> Matsumura & Uchida, 1926	■	■	■
<i>Dilobocondyla fouqueti</i> (Santschi, 1910)	?	?	?
<i>Ectomomyrmex javanus</i> (Mayr, 1867)	■	□	■
<i>Ectomomyrmex leeuwenhoekii</i> (Forel, 1886)	?	?	?
<i>Gesomyrmex howardi</i> (Wheeler, 1921)	□	■	□
<i>Gnamptogenys bicolor</i> (Emery, 1889)	□	■	□
<i>Harpegnathos venator</i> (F. Smith, 1858)	■	□	□
<i>Hypoponera</i> sp.	□	■	□
<i>Leptogenys binghamii</i> (Forel, 1900)	?	?	?
<i>Leptogenys kitteli</i> (Mayr, 1870)	□	■	■
<i>Leptogenys peuqueti</i> (André, 1887)	□	■	□
<i>Monomorium impexum</i> (Wheeler, 1928)	□	■	□
<i>Monomorium chinense</i> (Santschi, 1925)	■	□	□
<i>Monomorium floricola</i> (Jerdon, 1851)	■	□	□
<i>Monomorium</i> psw-cn01	?	?	?
<i>Nylanderia bourbonica</i> (Forel, 1886)	■	■	□
<i>Nylanderia nr. indica</i> (Forel, 1894)	■	■	□
<i>Nylanderia picta</i> (Wheeler, 1927)	?	?	?
<i>Odontoponera denticulata</i> (Smith, 1858)	■	■	■
<i>Oecophylla smaragdina</i> (Fabricius, 1775)	?	?	?

Checklist of Selected Fauna - Kadoorie Farm & Botanic Garden 2020

<i>Parapatrechina sauteri</i> (Forel, 1913)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Paratrechina longicornis</i> (Latreille, 1802)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Pheidole hongkongensis</i> (Wheeler, 1928)	?	?	?
<i>Pheidole noda</i> (F.Smith, 1874)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Pheidole pieli</i> (Santschi, 1925)	?	?	?
<i>Pheidole rabo</i> (Forel, 1913)	?	?	?
<i>Pheidole vulgaris</i> (Eguchi, 2006)	?	?	?
<i>Polyrhachis demangei</i> (Santschi, 1910)	?	?	?
<i>Polyrhachis halidayi</i> (Emery, 1889)	?	?	?
<i>Polyrhachis latona</i> (Wheeler, 1909)	?	?	?
<i>Polyrhachis mucronata</i> group	?	?	?
<i>Polyrhachis striata</i> (Mayr, 1862)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Polyrhachis tyrannica</i> (F.Smith, 1858)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<i>Polyrhachis vigilans</i> (F.Smith, 1858)	?	?	?
<i>Polyrhachis wolffi</i> (Forel, 1912)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Ponera guangxiensis</i> (Zhou, 2001)	?	?	?
<i>Prenolepis emmae</i> (Forel, 1894)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<i>Pristomyrmex punctatus</i> (Smith, 1860)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Pseudoneoponera rufipes</i> (Jerdon, 1851)	?	?	?
<i>Rhopalomastix rothneyi</i> (Forel, 1900)	?	?	?
<i>Solenopsis invicta</i> (Buren, 1972)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<i>Solenopsis jacoti</i> (Wheeler, 1923)	?	?	?
<i>Sylophopsis sechellensis</i> (Emery, 1894)	?	?	?
<i>Tapinoma nr. Indicum</i> (Forel, 1895)	?	?	?
<i>Technomyrmex albipes</i> (F.Smith, 1861)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<i>Technomyrmex horni</i> (Forel, 1912)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Tetramorium kraepelini</i> (Forel, 1905)	?	?	?
<i>Tetramorium lanuginosum</i> (Mayr, 1870)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Tetramorium parvispinum</i> (Emery, 1893)	?	?	?
<i>Tetraoponera allaborans</i> (Walker, 1859)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<i>Tetraoponera binghami</i> (Forel, 1902)	?	?	?
<i>Vollenhovia</i> sp.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Checklist of Spiders

21 Species

蜘蛛名錄

<i>Genus &amp; species</i> Author(s)	KFBG distribution		
	lower	mid	upper
<i>Amyciaea forticeps</i> (O. Pickard-Cambridge, 1873)	■	□	□
<i>Epocilla blairei</i> (Zabka, 1985)	■	□	□
<i>Epocilla calcarata</i> (Karsch, 1880)	■	□	□
<i>Epocilla</i> sp.	■	□	□
<i>Evarcha bicoronata</i> (Simon, 1901)	■	□	□
<i>Gasteracantha kuhli</i> (C. L. Koch, 1837)	■	□	□
<i>Hasarius adansoni</i> (Audouin, 1826)	■	□	□
<i>Heteropoda venatoria</i> (Linnaeus, 1767)	■	□	□
<i>Leucauge tessellata</i> (Thorell, 1887)	■	□	□
<i>Menemerus bivittatus</i> (Dufour, 1831)	■	□	□
<i>Myrmarachne formosana</i> (Saito, 1933)	■	□	□
<i>Myrmarachne japonica</i> (Karsch, 1879)	■	□	□
<i>Myrmarachne magna</i> (Saito, 1933)	■	□	□
<i>Oxytate hoshizuna</i> (Ono, 1978)	■	□	□
<i>Phintella bifurcilinea</i> (Bösenberg & Strand, 1906)	■	□	□
<i>Phintella versicolor</i> (C. L. Koch, 1846)	■	□	□
<i>Siler cupreus</i> (Simon, 1889)	■	□	□
<i>Siler semiglaucus</i> (Simon, 1901)	■	□	□
<i>Thiania bhamoensis</i> (Thorell, 1887)	■	□	□
<i>Thiania inermis</i> (Karsch, 1897)	■	□	□
<i>Thiania subopressa</i> (Strand, 1907)	■	□	□

# 嘉道理農場暨植物園 KADOORIE FARM AND BOTANIC GARDEN



## About KFBG

Kadoorie Farm and Botanic Garden (KFBG) is situated in Hong Kong, SAR China, in the rural New Territories, on the northern slopes of Tai Mo Shan, which is Hong Kong's highest mountain. Two steep spurs enclose its deep-set valley. Within KFBG are natural streams, woodlands, orchards, vegetable gardens, walking trails, live animal exhibits, floral exhibits, sustainable agriculture demonstration plots, art exhibits, a wild animal rescue centre, a native tree nursery, and, other conservation and education facilities.

## 本園簡介

嘉道理農場暨植物園（本園）位處新界鄉郊，座落於香港第一高山大帽山北坡之上，深谷環抱兩旁陡峭的山坡。本園內有清溪、樹林、果園、農圃、遠足徑，並設有動植物展覽、永續農業示範區、藝術展覽、野生動物拯救中心、本土樹木苗圃，以及其他保育及教育設施。

